









































No.	Series	Item Pix	Item	Type	Unit Price USD	PC /SET	Spec.	Bulb W	Single Light Recommend			Extend Options	Assemble	Item Size			Demonstrate	Feature
									Tank Size L x W x H	Liter	US Gallon			L	W	H		
1	MINI		Magnetic Scraper	Fresh Water & Marine	US\$23,0	SET	Floating Magnetic Aquarium Brush for glass 5-18MM	-										
2	MINI		ZN1000	Marine	US\$23,0	PC	Mini LED Aquarium Clamp Light Input Voltage: 100-240V Blue LED: 1W*3 Wavelength: 450 - 465nm Lumens: 35LM	3W	20 x 20 x 20 cm 8 x 8 x 8 inch 0.7 x 0.7 x 0.7 feet	9,21	2,4		High Classic ABS Clamp	5.5x 2.8x 20 cm; 2.2x 1.1x 7.9 inch; 0.2x 0.09x 0.7 feet;		1, High Brightness LED; 2, Easy and Secure Installation; 3, 360°fully Adjustable Lighting Angle; 4, Energy Saving - Low Power; 5, On/ Off via Switch; 6, Simplistic design yet modern and stylish		
3	MINI		ZN1010	Fresh Water	US\$23,0	PC	Mini LED Aquarium Clamp Light Input Voltage: 100-240V White LED: 1W*3 Color Temp: 6500K Lumens: 200LM	3W	20 x 20 x 20 cm 8 x 8 x 8 inch 0.7 x 0.7 x 0.7 feet	9,21	2,4		High Classic ABS Clamp	5.5x 2.8x 20 cm; 2.2x 1.1x 7.9 inch; 0.2x 0.09x 0.7 feet;		1, High Brightness LED; 2, Easy and Secure Installation; 3, 360°fully Adjustable Lighting Angle; 4, Energy Saving - Low Power; 5, On/ Off via Switch; 6, Simplistic design yet modern and stylish		
4	MINI		ZN1020	Marine	US\$23,0	PC	Mini LED Aquarium Clamp Light Input Voltage: 100-240V White LED: 1W*2 12000K Blue LED: 1W*1 450-465nm Lumens: 200LM	3W	20 x 20 x 20 cm 8 x 8 x 8 inch 0.7 x 0.7 x 0.7 feet	9,21	2,4		High Classic ABS Clamp	5.5x 2.8x 20 cm; 2.2x 1.1x 7.9 inch; 0.2x 0.09x 0.7 feet;		1, High Brightness LED; 2, Easy and Secure Installation; 3, 360°fully Adjustable Lighting Angle; 4, Energy Saving - Low Power; 5, On/ Off via Switch; 6, Simplistic design yet modern and stylish		
5	MINI		ZN1030	SPS Coral	US\$23,0	PC	Mini LED Aquarium Clamp Light Input Voltage: 100-240V Violet LED: 1W*3 Wavelength: 410 - 420nm Lumens: 90LM	3W	20 x 20 x 20 cm 8 x 8 x 8 inch 0.7 x 0.7 x 0.7 feet	9,21	2,4		High Classic ABS Clamp	5.5x 2.8x 20 cm; 2.2x 1.1x 7.9 inch; 0.2x 0.09x 0.7 feet;		1, High Brightness LED; 2, Easy and Secure Installation; 3, 360°fully Adjustable Lighting Angle; 4, Energy Saving - Low Power; 5, On/ Off via Switch; 6, Simplistic design yet modern and stylish		
6	NANO		ZN1702 Remote	Marine	US\$80,0	PC	Nano LED Hand Touch Switch & Remote Control Aquarium Lamp Input Voltage: 100-240V White LED: 0.5W*14 12,000K Blue LED: 0.5W*7 450- 465nm Red LED: 0.06W*4 620 - 630 nm Green LED: 0.06W*4 520 - 535 nm Lumens: 790LM	11W	30 - 40 x 30 - 40 x 30 cm 12 - 16 x 12 - 16 x 12 inch 1 - 1.3 x 1 - 1.3 x 1 feet	27	7,1	1, Two ZN1702 for Max Tank Size: L 60 x W 40 cm; L 24 x W 16 inch; L 2 x W 1.3 feet;	High Classic ABS Clamp	21x 24x 10 cm; 8.3x 9.5x 4 inch; 0.7x 0.8x 0.3 feet;		1, Hand Touch Switch for Light On/ Off and Adjust 5 Different Light Brightness ; 2, SMD LED; 3, Remote Control Function: ⊗ Can Adjust 10 Different Light Brightness; ⊗ Simulate Clouds Moving Mode; ⊗ Simulate Lightning Mode;		
7	AQUA		ZA1200	Fresh Water	US\$100,0	PC	Nano Acrylic & Aluminum LED Aquarium Holder Lamp Input Voltage: 100-240V White LED: 0.5W*28 6,500K Red LED: 0.06W*4 620 - 630 nm Green LED: 0.06W*4 520 - 535 nm Lumens: 1280LM	16W	30 - 40 x 30 - 40 x 30 cm 12 - 16 x 12 - 16 x 12 inch 1 - 1.3 x 1 - 1.3 x 1 feet	27	7,1	1, Two ZA1200 for Max Tank Size: L 60 x W 40 cm; L 24 x W 16 inch; L 2 x W 1.3 feet; 2, 2, W/ Timer Controller to Adjust individual LED Brightness/ Lightning Mode/ Cloudy Mode;	High Classic Acrylic Clamp	26x 22x 17 cm; 11x 9x 7 inch; 0.9x 0.7x 0.6 feet;		1, Ultrathin design, fashionable and beautiful; 2, Super long lifespan; 3, Light can be switched for day or night time;		

No.	Series	Item Pix	Item	Type	Unit Price USD	PC /SET	Spec.	Bulb W	Single Light Recommend			Extend Options	Assemble	Item Size			Demonstrate	Feature
									Tank Size L x W x H	Liter	US Gallon			L	W	H		
8	AQUA		ZA1201	Marine	US\$110,0	PC	<b>Nano Acrylic &amp; Aluminum LED Aquarium Holder Lamp</b> Input Voltage: 100-240V White LED: 0.5W*21 12,000K Blue LED: 0.5W*7 450-465nm Red LED: 0.06W*4 620-630 nm Green LED: 0.06W*4 520-535 nm Lumens: 1070LM	16W	30 - 40 x 30 - 40 x 30 cm 12 - 16 x 12 - 16 x 12 inch 1 - 1.3 x 1 - 1.3 x 1 feet	27	7,1	1, Two ZA1201 for Max Tank Size: L 60 x W 40 cm; L 24 x W 16 inch; L 2 x W 1.3 feet; 2, W/Timer Controller Z to Adjust individual LED Brightness/ Lightning Mode/ Cloudy Mode;	High Classic Acrylic Clamp	26x 22x 17 cm; 11x 9x 7 inch; 0.9x 0.7x 0.6 feet;		1, Ultrathin design, fashionable and beautiful; 2, Super long lifespan; 3, Light can be switched for day or night time;		
9	AQUA		ZA2420	Fresh Water	US\$130,0	PC	<b>Acrylic &amp; Aluminum LED Aquarium Holder Lamp</b> Input Voltage: 100-240V White LED: 0.5W*42 Color Temp: 6,500K Lumens: 1,600LM	21W	60 x 30 x 30 cm 24 x 12 x 12 inch 2 x 1 x 1 feet	54	14,3	1, W/ Connection Parts for Bigger Tank; 2, W/Timer Controller to Adjust individual LED Brightness/ Lightning Mode/ Cloudy Mode;	High Classic ABS Holder on Both Backside or Both Boardside;	60x 13x 11 cm; 24x 5x 4.3 inch; 2x 0.4x 0.3 feet;		1, Acrylic ABS Panel & Black Draw-bench of Aluminum Radiator; 2, SMD LED; 3, Lights can Combine w/ Connection Parts ZH005/ ZH006 for Bigger Tank; 4, Fanless - Passive Cooling; 5, No Noise Generation;		
10	AQUA		ZA2421	Marine	US\$145,0	PC	<b>Acrylic &amp; Aluminum LED Aquarium Holder Lamp</b> Input Voltage: 100-240V White LED: 0.5W*42 12,000K Blue LED: 0.5W*14 450-465nm Lumens: 1,600LM	28W	60 x 30 x 30 cm 24 x 12 x 12 inch 2 x 1 x 1 feet	54	14,3	1, W/ Connection Parts for Bigger Tank; 2, W/Timer Controller to Adjust individual LED Brightness/ Lightning Mode/ Cloudy Mode;	High Classic ABS Holder on Both Backside or Both Boardside;	60x 13x 11 cm; 24x 5x 4.3 inch; 2x 0.4x 0.3 feet;		1, Acrylic ABS Panel & Black Draw-bench of Aluminum Radiator; 2, SMD LED; 3, Lights can Combine w/ Connection Parts ZH005/ ZH006 for Bigger Tank; 4, Fanless - Passive Cooling; 5, No Noise Generation;		
11	AQUA Parts		ZH005	Fresh Water & Marine	US\$28,0	SET	<b>Connection Parts used for Aqua ZA2420,2421</b> <b>Lights Combine Option for Bigger Tank:</b> 1, ZA2420, 2421x 2pcs, assembly via ABS Holder 2, ZA2420, 2421x 4pcs, assembly via ABS Holder or Pendant		L 80 - 130 x W 60 - 90 cm; L 31 - 51 x W 24 - 35 inch; L 2.6 - 4.2 x W 2 - 3 feet;				1, High Classic ABS Holder; 2, Pendant;	L 80 cm x 2 pcs; L 32 inch x 2 pcs; L 2.7 feet x 2 pcs;				
12	AQUA Parts		ZH006	Fresh Water & Marine	US\$33,0	SET	<b>Connection Parts used for Aqua ZA2420, 2421</b> <b>Lights Combine Option for Bigger Tank:</b> 1, ZA2420, 2421x 4pcs, assembly via ABS Holder or Pendant 2, ZA2420, 2421x 6pcs, assembly via ABS Holder or Pendant		L 80 - 150 x W 60 - 90 cm; L 31 - 59 x W 24 - 35 inch; L 2.6 - 5 x W 2 - 3 feet;				1, High Classic ABS Holder; 2, Pendant;	L 53.7 cm x 4 pcs; L 21 inch x 4 pcs; L 1.8 feet x 4 pcs;				

No.	Series	Item Pix	Item	Type	Unit Price USD	PC /SET	Spec.	Bulb W	Single Light Recommend			Extend Options	Assemble	Item Size			Demonstrate	Feature
									Tank Size L x W x H	Liter	US Gallon			L	W	H		
13			ZN1001	Fresh Water & Marine	US\$50,0	PC	<p>Timer Controller used for Aqua ZA2420, 2421, 2430, 2431 / Eacosy ZP3400</p> <p>Function:  1, Dawn / Sunrise / Day / Sunset / Night modes;  2, Lightning / Cloud Modes;  3, Control Color, Brightness from Min Level 1 - Max Level 32, Timing;  4, DEMO and Circulate Running;  5, °C or °F Temperature System / 12Hrs or 24Hrs Time System;  6, Networkable - Connect multiple fixtures;</p>					Hang on the tank						
14	AQUA		ZA2420x2 Remote	Fresh Water	US\$300,0	SET	<p><b>ZA2420x 2 Combination w/ Connection Parts &amp; Timer Controller</b></p> <p>Input Voltage: 100-240V  White LED: 0.5W*84 6,500K Lumens: 3,200LM</p> <p>⊕ Connection Parts is extendable;  ⊕ Turn both Lights on/ off at the same time via Timer Controller;  ⊕ Remote: Control Color, Brightness from Min Level 1 - Max Level 32, Timing;</p>	42W	L 108 - 130 x W 40 cm; L 42.5 - 51.2 x W 15.7 inch; L 3.5 - 4.2 x W 1.3 feet;	156	41,2	<p>1, Two Set <b>ZA2421x 2</b> for Tank Size:  L 108 - 130 x W 70 cm;  L 42.5 - 51.2 x W 27.5 inch;  L 3.5 - 4.2 x W 2.3 feet;</p>	High Classic ABS Holder (Lamp L 108 - 120 cm / 42 - 48 inch / 3.6 - 4 feet )	11.8x 7 x 8.5 cm; 4.6x 2.8x 3.3 inch; 0.4x 0.2x 0.3 feet;				
15	AQUA		ZA2421x2 Remote	Marine	US\$320,0	SET	<p><b>ZA2421x 2 Combination w/ Connection Parts &amp; Timer Controller</b></p> <p>Input Voltage: 100-240V  White LED: 0.5W*84 12,000K Blue LED: 0.5W*28 450- 465nm Lumens: 3,200LM</p> <p>⊕ Connection Parts is extendable;  ⊕ Turn both Lights on/ off at the same time via Timer Controller;  ⊕ Remote: Control Color, Brightness from Min Level 1 - Max Level 32, Timing;</p>	56W	L 108 - 130 x W 40 cm; L 42.5 - 51.2 x W 15.7 inch; L 3.5 - 4.2 x W 1.3 feet;	156	41,2	<p>1, Two Set ZA2421x 2 for Tank Size:  L 108 - 130 x W 70 cm;  L 42.5 - 51.2 x W 27.5 inch;  L 3.5 - 4.2 x W 2.3 feet;</p>	High Classic ABS Holder (Lamp L 108 - 120 cm / 42 - 48 inch / 3.6 - 4 feet )	108x 16x 11cm; 43x 6.3x 4.3 inch 3.6x 0.5x 0.4 feet				
16	AQUA		ZA2430	Fresh Water	US\$140,0	PC	<p><b>Extendable Ultra Slim Aluminum Post LED Aquarium Lamp</b></p> <p>Input Voltage: 100-240V  White LED: 0.5W*42 6,500K Lumens: 1,600LM</p>	21W	L 46 - 73 x W 30 - 45 cm; L 18 - 28 x W 12 - 18 inch; L 1.5 - 2.4 x W 1 - 1.5 feet;		17,3	<p>1, Two ZA2430 for Tank Size:  L 46 - 73 x W 30 - 60 cm;  L 18 - 28 x W 12 - 24 inch;  L 1.5 - 2.4 x W 1 - 2 feet;</p> <p>2, W/Timer Controller to Adjust individual LED Brightness/ Lightning Mode/ Cloudy Mode;</p>	Extendable Ultra Light Aluminum Post (Lamp L 46 - 73 cm / 18 - 29 inch / 1.5 - 2.4 feet)	48x 20x 14.5 cm; 19x 7.9x 5.7 inch; 1.6x 0.7x 0.5 feet;				
17	AQUA		ZA2431	Marine	US\$150,0	PC	<p><b>Extendable Ultra Slim Aluminum Post LED Aquarium Lamp</b></p> <p>Input Voltage: 100-240V  White LED: 0.5W*42 12,000K Blue LED: 0.5W*14 450- 465nm Lumens: 1,600LM</p>	28W	L 46 - 73 x W 30 - 45 cm; L 18 - 28 x W 12 - 18 inch; L 1.5 - 2.4 x W 1 - 1.5 feet;		17,3	<p>1, Two <b>ZA2431</b> for Tank Size:  L 46 - 73 x W 30 - 60 cm;  L 18 - 28 x W 12 - 24 inch;  L 1.5 - 2.4 x W 1 - 2 feet;</p> <p>2, W/Timer Controller to Adjust individual LED Brightness/ Lightning Mode/ Cloudy Mode;</p>	Extendable Ultra Light Aluminum Post (Lamp L 46 - 73 cm / 18 - 29 inch / 1.5 - 2.4 feet)	48x 20x 14.5 cm; 19x 7.9x 5.7 inch; 1.6x 0.7x 0.5 feet;				
18	PRO		ZP2500 H Remote	Fresh Water	US\$350,0	PC	<p><b>Multi Function LED Aquarium Light System</b></p> <p>Input Voltage: 100-240V  White LED: 40W* 2 6,750K Blue 0.06W* 6 Red LED: 2W* 3 Orange LED: 2W* 2 610- 620nm Green LED: 2W* 3 520- 535nm Lumens: 7,000 LM</p>	96W	L 49 - 120 x W 30 - 80 cm; L 20 - 48 x W 12 - 32 inch; L 1.7 - 4 x W 1 - 2.6 feet;	210	55,4	<p>1, Two ZP2500H for Tank Size:  L 100 - 200 x W 30 - 80 cm;  L 40 - 80 x W 12 - 32 inch;  L 3.3 - 6.3 x W 1 - 2.6 feet;</p> <p>2, Fixtures can be linked together to follow the same program via standard RJ45 Network Cables while bigger tank;</p> <p>3, Assemble via option bracket ZH002 ( US\$15 ) for tank L 36 - 81 cm / 14 - 32 inch / 1.2 - 2.7 feet;</p>	1, Extendable Ultra Slim Aluminum Post (Lamp L 36 - 60 cm / 14 - 24 inch / 1.2 - 2 feet); 2, Pendant ( Max H 120 cm / 48 inch / 4 feet ); 3, Option: ZH002 Bracket;	33x 16x 6.5 cm; 13x 6.3x 2.6 inch; 1.1x 0.5x 0.2 feet;				
19	PRO		ZP3300 Remote (Black Cover or White Cover)	Marine	US\$500,0	PC	<p><b>Multi Function LED Aquarium Light System</b></p> <p>Input Voltage: 100-240V  White LED: 35W*2 12,000K Blue LED: 3W*24 450- 465NM Lumens: 6,500 LM</p>	142W	L 45 - 70 x W 30 - 60 cm; L 18 - 28 x W 12 - 24 inch; L 1.5 - 2.3 x W 1 - 2 feet;		245	64,7	<p>1, Two <b>ZP3300</b> for Tank Size:  L 70 - 100 x W 30 - 70 cm;  L 28 - 40 x W 12 - 28 inch;  L 2.3 - 3.3 x W 1 - 2.3 feet;</p> <p>2, Fixtures can be linked together to follow the same program via standard RJ45 Network Cables while bigger tank;</p> <p>3, Assemble via option bracket ) for tank L 42 - 90 cm / 17 - 35.4 inch / 1.4 - 3 feet;</p>	1, Extendable Ultra Slim Aluminum Post (Lamp L 47 - 70 cm / 19 - 28 inch / 1.5 - 2.3 feet ); 2, Extendable and Flexible Removable Aluminum Holder (Lamp W 47 - 87 cm / 19 - 34 inch / 1.5 - 2.9 feet ); 3, Above 1 & 2 combination to move lamp to anywhere of the tank very flexible;	45x 16x 6.5 cm; 17.7x 6.3x 2.6 inch 1.5x 0.5x 0.2 feet			

No.	Series	Item Pix	Item	Type	Unit Price USD	PC /SET	Spec.	Bulb W	Single Light Recommend			Extend Options	Assemble	Item Size			Demonstrate	Feature
									Tank Size L x W x H	Liter	US Gallon			L	W	H		
20	PRO		ZP3600 Remote (Black Cover or White Cover)	Marine	US\$600,0	PC	Multi Function LED Aquarium Light System Input Voltage: 100-240V White LED: 35W*2 12,000k Bridge lux Blue LED: 2.5W*4 450-465nm Bridge lux Royal Blue LED: 2.5W*20 465-485nm Cree Violet LED: 1W*6 410-420nm Red LED: 1W*3 620-630nm Orange LED: 1W*2 610-620nm Green LED: 1W*3 520-535nm Lumens: 7,500LM	144W	L 60 - 100 x W 40 - 75 cm; L 24 - 39.4 x W 15.7 - 29.6 inch; L 2 - 3.3 x W 1.3 - 2.5 feet;	432	114,0	1, Two ZP3600 for Tank Size: L 120 - 160 x W 30 - 70 cm; L 47 - 63 x W 12 - 28 inch; L 4 - 5.3 x W 1 - 2.3 feet; 2, Fixtures can be linked together to follow the same program via standard RJ45 Network Cables while bigger tank; 3, Assemble via option bracket for tank L 63 - 108 cm / 25 - 42.5 inch / 2.1 - 3.6 feet; 4, Pendant ( Max H for ceiling mount 150 cm / 59 inch / 5 feet )	1, Extendable Ultra Slim Aluminum Post ( Lamp L 63 - 85 cm / 25 - 34 inch / 2.1 - 2.8 feet ); 2, Extendable and Flexible Removable Aluminum Holder ( Lamp W 47 - 87 cm / 19 - 34 inch / 1.5 - 2.9 feet ); 3, Above 1 & 2 combination to move lamp to anywhere of the tank very flexible; 4, Pendant ( Max H for ceiling mount 150 cm / 59 inch / 5 feet )	60x 16x 6.5 cm; 23.6x 6.3x 2.6 inch; 2x 0.5x 0.2 feet;		1, Users can program 5 time periods and fully control the intensity of the light for each time period: Dawn/ Sunrise/ Day/ Sunset/ Night modes; 2, Lightning/ Cloud Modes; 3, Remote: Control Color, Brightness from Min Level 1 - Max Level 32, Timing; 4, DEMO and Circulate Running; 5, °C or °F Temperature System/ 12Hrs or 24Hrs Time System; 6, Networkable - With RJ45 network cable to linked multiple		
21	PRO Parts		ZH002	Fresh Water & Marine	US\$35,0	SET	Acrylic Holder w/ Extendable Square aluminum rod and end aluminium used for PRO ZP2500H,3300,3600					Hang on the tank	16.2x 1.7x 9 cm; 6.4x 0.7x 3.5 inch; 0.54x 0.06x 0.3 feet;					
22	PRO		ZP4300 Remote	Marine	US\$900,0	PC	Multi Function LED Aquarium Light System Input Voltage: 100-240V White LED: 35W*4 12,000K Blue LED: 3W*48 450-465nm Lumens: 13,000LM	284W	L 90 - 150 x W 30 - 70 cm; L 36 - 48 x W 12 - 28 inch; L 3 - 5 x W 1 - 2.3 feet;	720	190,1	1, Two ZP4300 for tank size: L 180 - 240 x W 30 - 70 cm; L 71 - 94 x W 12 - 28 inch; L 6 - 8 x W 1 - 2.3 feet; 2, Fixtures can be linked together to follow the same program via standard RJ45 Network Cables while bigger tank; 3, Above 1 & 2 combination to move lamp to anywhere of the tank very flexible; 4, Pendant ( Max H 150 cm / 59 inch / 5 feet )	1, Extendable Ultra Slim Aluminum Post ( Lamp L 90 - 110 cm / 36 - 43 inch / 3 - 3.7 feet ); 2, Extendable and Flexible Removable Aluminum Holder ( Lamp W 47 - 70 cm / 19 - 28 inch / 1.5 - 2.4 feet ); 3, Above 1 & 2 combination to move lamp to anywhere of the tank very flexible; 4, Pendant ( Max H 150 cm / 59 inch / 5 feet )	87x 16x 6.5 cm; 34.2x 6.3x 2.6 inch 2.9x 0.5x 0.2 feet				
23	PRO Parts		ZH001	Fresh Water & Marine	US\$35,0	SET	Acrylic Holder for PRO ZP4200					1, Tank Glass Thickness Max 10mm	Hang on the tank	16.2x 1.7x 9 cm; 6.4x 0.7x 3.5 inch; 0.54x 0.06x 0.3 feet;				
24	QMAVEN		ZT6500 Remote	Marine	US\$380,0	PC	Moonlight & Advanced LED Aquarium Light System Input Voltage: 100-240V White LED: 35W*1 12000K Royal Blue LED: 3W*12 450-465nm Blue LED: 3W*4 465-485nm Cree XP-E Violet LED: 3W*2 410-420nm Lumens: 4300LM	90W	L 43 - 70 x W 30 - 70 cm; L 17 - 28 x W 12 - 28 inch; L 1.5 - 4 x W 1 - 2.3 feet;	504	133,1			40x26x4cm: 15.8x10.2x1.6inch 1.3x0.85x0.13 feet				
25	QMAVE		ZT6600 Remote	Marine	US\$600,0	PC	Moonlight & Advanced LED Aquarium Light System Input Voltage: 100-240V White LED: 40W*2 12000K Royal Blue LED: 3W*20 450-465nm Blue LED: 3W*4 465-485nm Cree XP-E Violet LED: 3W*6 410-420nm Red LED: 3W*3 620-630nm Orange LED: 3W*2 610-620nm Green LED: 3W*3 520-535nm Lumens: 9,600 LM	200W	L 70 - 120 x W 30 - 70 cm; L 28 - 48 x W 12 - 28 inch; L 2.3 - 4 x W 1 - 2.3 feet;	504	133,1			69x 26x 2.4 cm; 27.2x 10.2x 1 inch; 2.3x 0.9x 0.08 feet;				
26	Sparkle Dragon		MST-D6000	Freshwater & Marine	US\$160,0	PC	Input Voltage: AC 100-240V 50/60Hz Output Voltage: DC 24V 4A Actual Lift: 3.6 Actual Volume: 6000L\H	40										
27	Sparkle Dragon		MST-D9000	Freshwater & Marine	US\$180,0	PC	Input Voltage: AC 100-240V 50/60Hz Output Voltage: DC 24V 6A Actual Lift: 4.3 Actual Volume: 9000L\H	70W										

No.	Series	Item Pix	Item	Type	Unit Price USD	PC /SET	Spec.	Bulb W	Single Light Recommend			Extend Options	Assemble	Item Size			Demonstrate	Feature
									Tank Size L x W x H	Liter	US Gallon			L	W	H		
28	Sparkle Dragon		MST-D12000	Freshwater & Marine	US\$190,0	PC	Input Voltage: AC 100-240V 50/60Hz Output Voltage: DC 24V 6A Actual Lift: 4.8 Actual Volume: 12000L/H	85										
29	Sparkle Dragon		WP-25	Freshwater & Marine	US\$110,0		Input Voltage: AC 100-240V 50/60Hz Output Voltage: DC 24V 1.5A Tank Thickness: ≥0.59(1.5cm) Flow: 8000L/H	8-25W										
29	Sparkle Dragon		WP-40	Freshwater & Marine	US\$130,0		Input Voltage: AC 100-240V 50/60Hz Output Voltage: DC 24V 2.5A Tank Thickness: ≥0.59(1.5cm) Flow: 13000L/H	28-40										